




# Canon EOS 30 Inner Eyepiece Replacement

Use this guide to get to the inner eyepiece for replacement.

Written By: Jackie



## INTRODUCTION

This guide will help you step by step to reach and replace the inner eyepiece of canon EOS 30.

---



### TOOLS:

- [Phillips #00 Screwdriver](#) (1)
-

## Step 1 — Front Panel



- Remove two 4.8 mm black screws on the front of the camera.

## Step 2



- Remove one 4.3 mm black screw under the lens ring and one 4.8 mm black screw on the bottom of the camera.



### Step 3



- Remove one 4.8 mm black screw on the left side.

### Step 4



- Remove the front panel by lifting out the side opposite the grip.

## Step 5 — Top Panel



- Slide the outer eyepiece upward to remove it.

## Step 6



- Remove two 4.75 mm Phillips #00 screws from top of camera.



## Step 7




- Remove four 4.3 mm Phillips #00 screws from back of camera.


## Step 8




- Slowly separate top panel from camera by pushing up.
- ⚠ Be careful, as top panel is still attached by wiring and ribbon cable to the camera.

## Step 9



 Separating the top panel too far can damage the connecting wiring.


## Step 10 — The Inner Eyepiece.



- Unscrew two 9.5 mm, black screws that attaches the inner eyepiece to the camera body.




## Step 11



- Next, unscrew the two 4.3 mm, silver screws by the inner eyepiece.



## Step 12



- After the previous step, the inner eyepiece can be separated into three parts. Be careful, the outer piece (left) has a small gear which can fall off easily and be lost.



## Step 13



- At last, to remove the glass panel unfasten the two 3.6 mm, black screws from the outer piece . When separating the glass panel, make sure not to separate the small, rubber piece attached to the panel, from the outer piece. Now, you can replace the inner eyepiece.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-10-08 06:11:00 PM.